

**BLUE DREAM SHATTER 19S1041308**

<b>Batch ID:</b>	N/A	<b>Test ID:</b>	4188062.010
<b>Reported:</b>	18-Aug-2019	<b>Method:</b>	MIP - Test Methods: TM05, TM06
<b>Type:</b>	MIP		
<b>Test:</b>	Microbial Contaminants		

**MICROBIAL CONTAMINANTS**



Contaminant	Result (CFU/g)*
<b>Total Aerobic Count**</b>	None Detected
<b>Total Coliforms**</b>	None Detected
<b>Total Yeast and Molds**</b>	None Detected
<b>E. coli</b>	None Detected
<b>Salmonella</b>	None Detected

\* CFU/g = Colony Forming Unit per Gram

\*\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples:  $10^2 = 100$  CFU  
 $10^3 = 1,000$  CFU  
 $10^4 = 10,000$  CFU  
 $10^5 = 100,000$  CFU

## NOTES:

Free from visual mold, mildew, and foreign matter  
TYM: None Detected  
Total Aerobic: None Detected**FINAL APPROVAL**  
Robert Belfon  
18-Aug-2019  
11:08 AM  
Mike Branvold  
18-Aug-2019  
11:25 AM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Services, LLC, in the condition it was received. Botanacor Services, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Services, LLC.